Patient identifier/label: Page 1 of 7

Consent Form 1	
	Patient's surname/family name
DH Department of Health	Patient's first names
	Date of birth
THE ROYAL MARSDEN NHS FOUNDATION TRUST	Health professional seeking consent
Laparoscopic bilateral salpingo-oophorectomy and dilatation and curettage	Job title
	NHS number (or other identifier)
	☐ Female
Patient Agreement to Investigation or Treatment	Special requirements (e.g. other language/other communication method)

Name of proposed procedure	(include brief explanation if medical term not clear).
----------------------------	--

Laparoscopic bilateral salpingo-oophorectomy (LAP BSO),
peritoneal washings (removal of ovaries and tubes through keyhole)
and dilatation and curettage (D&C)

The procedure is done through three or four small cuts in your abdomen (a keyhole approach) and involves removing the ovaries and tubes together with taking a sample from some water which we will put inside your abdomen (peritoneal washings). The latter is to assess whether there are any abnormal floating cells. We will sample the inner lining of the womb (called endometrium) after widening the cervix (dilatation)

Hysteroscopy

This involves inserting a telescope inside the womb through the vagina and cervix to examine the inner lining of the womb (endometrium).

Published: 23/07/2019 12:24:09

Patient identifier/label: Page 2 of 7

Statement of health professional seeking consent (to be filled in by health professional with appropriate knowledge of proposed procedure, as specified in consent policy)

I have explained the procedure to the patient. In particular, I have explained: The intended benefits: Decrease your risk of developing ovarian cancer Significant, unavoidable or frequently occurring risks/side effects: Infertility (all patients if your ovaries were functioning before the operation) Menopause (all patients if your ovaries were functioning before the operation) ☐ **Bleeding** (less than 1 in 100 risk) Infection of wound or urinary tract (bladder/kidney) (less than 5 in 100 risk) Injury to nearby structures like vessels, bladder, bowel and ureter (tube which takes the urine from the kidney to the bladder), (less than 5 in 100 risk) Accidental puncture of the womb (less than 1 in 100 risk). This may require further surgery. Conversion to open approach (if planned for keyhole approach) if it is not possible to complete the surgery via laparoscopy or in order to repair injury to nearby structures (less than 5 in 100 risk) **Blood clots**: They most commonly form in the calf causing lower leg swelling and pain or in the lung causing shortness of breath or chest pain. Blood clots can be life threatening and are treated with blood thinning drugs. I have advised the patient to seek medical advice immediately if they have any of the above symptoms and are concerned they may have a blood clot. Airline travel and long journeys where one has to remain seated are also associated with an increased risk. Therefore, I have advised that it is important to seek medical advice about any plans to travel while on treatment (Deep vein thrombosis (DVT) or pulmonary embolism (PE) (1 in 400 risk)). Changes in body image, feelings about femininity and sexual function Any other risks: Any extra procedures which may become necessary during the procedure: blood transfusion other procedure (please specify)

Patient identifier/label: Page 3 of 7

Use of medical images or recordings

I hereby give consent for medical images or recordings taken during the procedure to be used for one or more of the purposes listed below:

I understand in all cases the images will be anonymised (i.e. there will be no means of identifying me).

I understand that this will in no way affect my treatment.

I understand I am free to withdraw my consent at any time without giving any reason, and will do so by informing medical team.

Please tick every box to which you give consent	Tick to give consent	
Research and audit, for example evaluating new planning methods and technologies.		
This may involve researchers outside the Royal Marsden and the Institute of Cancer Research including workers in commercial companies (for example equipment manufacturers), or other health and research organisations.		
Teaching and/or training of healthcare staff This may include books, articles, CD ROMs, videos, presentations and/or lectures. Digital images, teaching slides and CD-ROMs may be accessible via computers for online and internet publications.		
Publication in the hospital's newsletters or promotional literature		
I have also discussed what the procedure is likely to involve, the benefits available alternative treatments (including no treatment) and any particul patient.	_	
The following leaflet has been provided as part of the patient's information:	rmation	
www.menopausematters.co.uk		
Menopause matters is an award winning, independent website providing accurate information about the menopause, menopausal symptoms and www.daisynetwork.org.uk	•	
The Daisy Network Premature Menopause Support Group is a registered women who have experienced a premature menopause	d charity for	
(version r	no)	
(version r	no)	
This procedure will involve: general and/or regional anaesthesia local anaesthesia	sedation	

Published: 23/07/2019 12:24:09

Signed:	Date
Name (PRINT)	Job title
☐ I am capable of performing this procedure or pres	cribing this treatment.
I am trained and authorised to obtain consent for to cannot perform or prescribe by myself. I have been determined in the cannot perform or prescribe by myself. I have been determined in the cannot be a second performance of the cannot be a second perform	n delegated to take your consent by
While under the care of The Royal Marsden you will be professionals (clinicians), working with the consultante members may include registered nurses, allied health in training.	(s) responsible for your care. Team
All clinical procedures or treatments will be performed competent to do so, but they may also be supervising The presence of any particular clinician at any given t	team members who are in training.
Contact details (if patient wishes to discuss options I	ater)
Statement of interpreter (where appropriate)	
I have interpreted the information above to the patient in which I believe s/he can understand.	to the best of my ability and in a way
Signed	Date
Name (PRINT)	

Page 4 of 7

Published: 23/07/2019 12:24:09

Patient identifier/label:

Patient identifier/label: Page 5 of 7

Statement of patient

Patient identifier/label

Published: 23/07/2019 12:24:09

Please read this form carefully. If your treatment has been planned in advance, you should already have your own copy of page 2 which describes the benefits and risks of the proposed treatment. If not, you will be offered a copy now. If you have any further questions, do ask – we are here to help you. You have the right to change your mind at any time, including after you have signed this form.

I agree to the procedure or course of treatment described on this form.

I understand that you cannot give me a guarantee that a particular person will perform the procedure. The person will, however, have appropriate experience.

I understand that I will have the opportunity to discuss the details of anaesthesia with an anaesthetist before the procedure, unless the urgency of my situation prevents this. (This only applies to patients having general or regional anaesthesia.)

I understand that any procedure in addition to those described on this form will only be carried out if it is necessary to save my life or to prevent serious harm to my health.

I have been told about additional procedures which may become necessary during my treatment. I have listed below any procedures which I do not wish to be carried out without further discussion.
Please indicate your preference with a cross against one of the following two options: I will accept the offer of a copy of this consent form to keep, when it is signed by me.
I will not accept the offer of a copy of this consent form to keep, when it is signed by me.
Patient's signature Date Name (PRINT)
A witness should sign below if the patient is unable to sign but has indicated his or her consent. Young people/children may also like a parent to sign here (see notes).
Signature Date
Name (PRINT)

Patient identifier/label:	Page 6 of 7			
Confirmation of consent (to be completed by a health professional when the patient is admitted for the procedure, if the patient has signed the form in advance)				
On behalf of the team treating the patient, I have confirmed with the patient that s/he has no further questions and wishes the procedure to go ahead.				
Signed:		Date		
Name (PRINT)		Job title		
Important notes: (tick if applicable)				
☐ See also advance decision to refuse treatment (eg Jehovah's Witness form)				
☐ Patient has withdrawn consent (ask patient to sign /date here)				

Published: 23/07/2019 12:24:09

Patient identifier/label: Page 7 of 7

Guidance to health professionals (to be read in conjunction with consent policy)

What a consent form is for

This form documents the patient's agreement to go ahead with the investigation or treatment you have proposed. It is not a legal waiver – if patients, for example, do not receive enough information on which to base their decision, then the consent may not be valid, even though the form has been signed. Patients are also entitled to change their mind after signing the form, if they retain capacity to do so. The form should act as an *aide-memoire* to health professionals and patients, by providing a check-list of the kind of information patients should be offered, and by enabling the patient to have a written record of the main points discussed. In no way, however, should the written information provided for the patient be regarded as a substitute for face-to-face discussions with the patient.

The law on consent

See the Department of Health's *Reference guide to consent for examination or treatment* for a comprehensive summary of the law on consent (also available at www.dh.gov.uk/consent).

Who can give consent

Everyone aged 16 or more is presumed to be competent to give consent for themselves, unless the opposite is demonstrated. If a child under the age of 16 has "sufficient understanding and intelligence to enable him or her to understand fully what is proposed", then he or she will be competent to give consent for himself or herself. Young people aged 16 and 17, and legally 'competent' younger children, may therefore sign this form for themselves, but may like a parent to countersign as well. If the child is not able to give consent for himself or herself, some-one with parental responsibility may do so on their behalf and a separate form is available for this purpose. Even where a child is able to give consent for himself or herself, you should always involve those with parental responsibility in the child's care, unless the child specifically asks you not to do so. If a patient is mentally competent to give consent but is physically unable to sign a form, you should complete this form as usual, and ask an independent witness to confirm that the patient has given consent orally or non-verbally.

When NOT to use this form

If the patient is 18 or over and lacks the capacity to give consent, you should use the form for adults who lack the capacity to consent to investigation or treatment instead of this form. A patient lacks capacity if they have an impairment of the mind or brain or disturbance affecting the way their mind or brain works and they cannot:

- understand information about the decision to be made
- · retain that information in their mind
- use or weigh that information as part of the decision-making process, or
- communicate their decision (by talking, using sign language or any other means).

You should always take all reasonable steps (for example involving more specialist colleagues) to support a patient in making their own decision, before concluding that they are unable to do so. Relatives **cannot** be asked to sign a form on behalf of an adult who lacks capacity to consent for themselves, unless they have been given the authority to do so under a Lasting Power of Attorney or as a court appointed deputy.

Information

Information about what the treatment will involve, its benefits and risks (including side-effects and complications) and the alternatives to the particular procedure proposed, is crucial for patients when making up their minds. The courts have stated that patients should be told about 'significant risks which would affect the judgement of a reasonable patient'. 'Significant' has not been legally defined, but the GMC requires doctors to tell patients about 'serious or frequently occurring' risks. In addition if patients make clear they have particular concerns about certain kinds of risk, you should make sure they are informed about these risks, even if they are very small or rare. You should always answer questions honestly. Sometimes, patients may make it clear that they do not want to have any information about the options, but want you to decide on their behalf. In such circumstances, you should do your best to ensure that the patient receives at least very basic information about what is proposed. Where information is refused, you should document this on page 2 of the form or in the patient's notes.